



SC Series Horizontal Split Case Pump



Pump Performance Table

Pump model	Capacity		Head	Speed	shaft power	Motor power	Eff	NPSH	Impeller size
	m ³ /h	l/s	m	rpm	kw	kw	%	m	mm
SC80-270	147	40.8	112	2980	60.6	90	74.0	4.5	290
	210	58.3	100		71.5		80.0		
	252	70.0	90		79.2		78.0		
SC80-270A	141	39.2	101	2980	52.4	75	74.0	4.5	278
	201	55.8	92		63.7		79.0		
	241	66.9	82		69.9		77.0		
SC80-270B	134	37.2	95	2980	46.8	75	74.0	4.5	266
	192	53.3	85		56.6		78.5		
	230	63.9	76		61.8		77.0		
SC80-270C	128	35.6	87	2980	42.1	55	72.0	4.5	254
	183	50.8	78		49.8		78.0		
	206	57.2	70		51		77.0		
SC100-310	259	71.9	148	2980	135.5	200	77.0	6.5	330
	370	102.8	128		157.2		82.0		
	444	123.3	110		166.2		80.0		
SC100-310A	248	68.9	135	2980	118.4	160	77.0	6.5	316
	354	98.3	117		137.5		82.0		
	425	118.1	102		147.5		80.0		
SC100-310B	237	65.8	122	2980	104.9	160	75.0	6.5	302
	338	93.9	108		122.7		81.0		
	406	112.8	95		132.9		79.0		
SC100-310C	226	62.8	115	2980	95.6	132	74.0	6.5	288
	323	89.7	100		109.9		80.0		
	388	107.8	90		121.9		78.0		
SC80-210	60	16.7	17	1480	3.6	5.5	78.0	2.1	230
	85	23.6	15		4.2		83.0		
	102	28.3	13.8		4.7		81.0		
SC80-210A	57	15.8	15.8	1480	3.1	5.5	78.0	2.1	220
	81	22.5	14		3.7		83.0		
	97	26.9	12.4		4		76.0		
SC80-210B	55	15.3	14.8	1480	2.9	4	77.0	2.1	210
	78	21.7	13		3.4		82.0		
	94	26.1	11		3.5		80.0		
SC80-210C	52	14.4	13.8	1480	2.6	4	76.0	2.1	200
	74	20.6	12		3		81.0		
	89	24.7	10.8		3.3		79.0		
SC80-270	74	20.6	28	1480	7.5	11	75.0	2.8	290
	105	29.2	25		8.9		80.0		
	126	35.0	22		9.7		78.0		
SC80-270A	70	19.4	26	1480	6.6	11	75.0	2.8	278
	100	27.8	23		7.8		80.0		
	120	33.3	21		8.8		78.0		
SC80-270B	67	18.6	23	1480	5.7	11	73.0	2.8	266
	96	26.7	21		6.9		79.0		
	115	31.9	18		7.3		77.0		
SC80-270C	64	17.8	22	1480	5.3	7.5	72.0	2.8	254
	91	25.3	19		6		78.0		
	109	30.3	17		6.6		76.0		
SC80-370	81	22.5	43	1480	13.4	22	71.0	2.8	360
	115	31.9	40		16.5		76.0		
	138	38.3	35		17.8		74.0		

SC80-370A	77	21.4	40	1480	11.8	18.5	71.0	2.8	344
	110	30.6	37		14.6		76.0		
	132	36.7	32		15.5		74.0		
SC80-370B	74	20.6	36	1480	10.4	15	70.0	2.8	329
	105	29.2	33		12.6		75.0		
	126	35.0	29		13.6		73.0		
SC80-370C	70	19.4	34	1480	9.4	15	69.0	2.8	313
	100	27.8	31		11.4		74.0		
	120	33.3	27		12.3		72.0		
SC100-250	102	28.3	23	1480	8.1	11	79.0	2.9	264
	145	40.3	20		9.4		84.0		
	174	48.3	17		9.8		82.0		
SC100-250A	97	26.9	20	1480	6.8	11	78.0	2.9	253
	139	38.6	18		8.2		83.0		
	167	46.4	16		9		81.0		
SC100-250B	92	25.6	19	1480	6.1	11	78.0	2.9	240
	132	36.7	17		7.4		83.0		
	158	43.9	15		8		81.0		
SC100-250C	88	24.4	17	1480	5.3	7.5	77.0	2.9	229
	126	35.0	15		6.3		82.0		
	151	41.9	13.8		7.1		80.0		
SC100-310	130	36.1	35	1480	16.1	30	77.0	3.1	330
	185	51.4	32		19.7		82.0		
	210	58.3	28		20		80.0		
SC100-310A	124	34.4	32.5	1480	14.4	22	76.0	3.1	316
	177	49.2	29		17.3		81.0		
	202	56.1	26		18.1		79.0		
SC100-310B	118	32.8	30	1480	12.7	18.5	76.0	3.1	301
	169	46.9	27		15.3		81.0		
	196	54.4	24		16.2		79.0		
SC100-310C	113	31.4	28	1480	11.5	18.5	75.0	3.1	287
	161	44.7	25		13.7		80.0		
	185	51.4	22		14.2		78.0		
SC100-375	130	36.1	58	1480	28.5	45	72.0	3	408
	185	51.4	52		34		77.0		
	222	61.7	44		35.5		75.0		
SC100-375A	124	34.4	55	1480	26.1	37	71.0	3	390
	177	49.2	48		30.4		76.0		
	212	58.9	42		32.8		74.0		
SC100-375B	118	32.8	50	1480	22.9	37	70.0	3	373
	169	46.9	43		26.4		75.0		
	203	56.4	37		28		73.0		
SC100-375C	113	31.4	44	1480	19.6	30	69.0	3	355
	161	44.7	40		23.7		74.0		
	193	53.6	34		24.8		72.0		
SC125-230	193	53.6	17	1480	10.9	18.5	82.0	2.3	245
	275	76.4	15		12.9		87.0		
	315	87.5	13.8		13.9		85.0		
SC125-230A	185	51.4	15.8	1480	9.7	15	82.0	2.3	235
	264	73.3	14		11.6		87.0		
	306	85.0	12.4		12.2		85.0		
SC125-230B	176	48.9	14.8	1480	8.8	15	81.0	2.3	225
	251	69.7	13		10.3		86.0		
	296	82.2	11.5		11		84.0		
SC125-230C	168	46.7	13.8	1480	7.8	11	81.0	2.3	215
	240	66.7	12		9.1		86.0		
	288	80.0	10.5		9.8		84.0		

SC125-290	188	52.2	30	1480	19.2	30	80.0	2.4	302
	269	74.7	27		23.3		85.0		
	323	89.7	24		25.4		83.0		
SC125-290A	181	50.3	28	1480	17.2	30	80.0	2.4	290
	258	71.7	25		20.7		85.0		
	310	86.1	22		22.4		83.0		
SC125-290B	172	47.8	24.5	1480	14.5	22	79.0	2.4	276
	246	68.3	22		17.5		84.0		
	295	81.9	19		18.6		82.0		
SC125-290C	165	45.8	23	1480	13.1	18.5	79.0	2.4	264
	235	65.3	21		16		84.0		
	282	78.3	18		16.9		82.0		
SC125-365	216	60.0	54	1480	39.7	55	80.0	2.6	390
	309	85.8	47		46.5		85.0		
	371	103.1	41		49.3		84.0		
SC125-365A	207	57.5	50	1480	35.7	55	79.0	2.6	374
	296	82.2	43		41.2		84.0		
	355	98.6	37		43.6		82.0		
SC125-365B	197	54.7	43	1480	29.6	45	78.0	2.6	356
	282	78.3	39		36.1		83.0		
	338	93.9	33		37.5		81.0		
SC125-365C	189	52.5	39	1480	26.1	37	77.0	2.6	341
	270	75.0	36		32.3		82.0		
	324	90.0	31		34.2		80.0		
SC125-500	232	64.4	81	1480	65.6	90	78.0	2.8	489
	331	91.9	75		81.4		83.0		
	385	106.9	67		85.6		82.0		
SC125-500A	223	61.9	75	1480	59.1	90	77.0	2.8	470
	318	88.3	69		72.8		82.0		
	375	104.2	63		80.4		80.0		
SC125-500B	211	58.6	68	1480	51.4	75	76.0	2.8	446
	302	83.9	63		63.9		81.0		
	362	100.6	56		69.9		79.0		
SC125-500C	202	56.1	62	1480	45.5	75	75.0	2.8	427
	289	80.3	58		57		80.0		
	347	96.4	50		60.6		78.0		
SC150-290	312	86.7	23	1480	23.8	37	82.0	3.2	290
	445	123.6	21		29.2		87.0		
	534	148.3	18		31.2		84.0		
SC150-290A	299	83.1	22	1480	22.1	30	81.0	3.2	278
	427	118.6	19		25.7		86.0		
	512	142.2	17		28.5		83.0		
SC150-290B	284	78.9	20	1480	19.1	30	81.0	3.2	265
	406	112.8	18		23.1		86.0		
	487	135.3	16		25.6		83.0		
SC150-290C	272	75.6	18	1480	16.7	22	80.0	3.2	253
	388	107.8	16		19.9		85.0		
	445	123.6	14		20.7		82.0		
SC150-360	313	86.9	41	1480	43.1	75	81.0	3.2	355
	447	124.2	38		53.8		86.0		
	536	148.9	32.5		56.5		84.0		
SC150-360A	300	83.3	38	1480	38.8	55	80.0	3.2	341
	429	119.2	35		48.1		85.0		
	515	143.1	30.5		51.5		83.0		
SC150-360B	286	79.4	35	1480	34.1	55	80.0	3.2	324
	408	113.3	32		41.8		85.0		
	476	132.2	28		43.7		83.0		

SC150-360C	273	75.8	32.5	1480	30.6	45	79.0	3.2	310
	390	108.3	29		36.7		84.0		
	468	130.0	26		40.4		82.0		
SC150-460	351	97.5	76	1480	93.1	132	78.0	3.5	462
	501	139.2	66		108.4		83.0		
	601	166.9	59		117.7		82.0		
SC150-460A	337	93.6	67	1480	79.8	110	77.0	3.5	448
	481	133.6	61		97.4		82.0		
	577	160.3	53		102.8		81.0		
SC150-460B	321	89.2	60	1480	69	110	76.0	3.5	434
	458	127.2	55		84.7		81.0		
	550	152.8	47		88		80.0		
SC150-460C	306	85.0	57	1480	63.3	90	75.0	3.5	420
	437	121.4	51		75.8		80.0		
	524	145.6	43		78.6		78.0		
SC150-605	368	102.2	112	1480	145.7	200	77.0	4	569
	525	145.8	105		183		82.0		
	602	167.2	97		193.9		82.0		
SC150-605A	353	98.1	105	1480	132.8	200	76.0	4	546
	504	140.0	96		162.6		81.0		
	585	162.5	87		173.2		80.0		
SC150-605B	335	93.1	95	1480	115.5	160	75.0	4	519
	479	133.1	87		141.8		80.0		
	565	156.9	79		155.8		78.0		
SC150-605C	321	89.2	88	1480	103.9	160	74.0	4	496
	458	127.2	81		127.8		79.0		
	550	152.8	73		141.9		77.0		
SC200-250	477	132.5	22	1480	34.4	55	83.0	4.5	280
	681	189.2	20		42.1		88.0		
	768	213.3	18		43.8		86.0		
SC200-250A	457	126.9	20	1480	30.3	45	82.0	4.5	269
	653	181.4	18		36.8		87.0		
	784	217.8	16		40.2		85.0		
SC200-250B	435	120.8	18	1480	26.3	37	81.0	4.5	255
	621	172.5	16		31.5		86.0		
	745	206.9	14.8		35.7		84.0		
SC200-250C	416	115.6	15.8	1480	22.4	30	80.0	4.5	244
	594	165.0	14		26.6		85.0		
	682	189.4	12.4		27.7		83.0		
SC200-320	486	135.0	33.5	1480	53.4	75	83.0	4.2	338
	694	192.8	30		64.4		88.0		
	833	231.4	26		68.6		86.0		
SC200-320A	466	129.4	32	1480	49.5	75	82.0	4.2	324
	666	185.0	28		58.3		87.0		
	799	221.9	25		64		85.0		
SC200-320B	441	123.3	28	1480	41.8	75	81.0	4.2	309
	634	176.1	25		50.2		86.0		
	732	203.3	22		52.2		84.0		
SC200-320C	424	117.8	26	1480	37.5	55	80.0	4.2	295
	606	168.3	23		44.6		85.0		
	727	201.9	21		50.1		83.0		
SC200-420	496	137.8	58	1480	95.5	132	82.0	4.2	415
	708	196.7	52		115.2		87.0		
	850	236.1	44		119.8		85.0		
SC200-420A	475	131.9	55	1480	87.8	110	81.0	4.2	398
	679	188.6	48		103.2		86.0		
	786	218.3	42		107		84.0		

SC200-420B	452	125.6	50	1480	76.9	110	80.0	4.2	379
	646	179.4	43		89		85.0		
	775	215.3	37		94		83.0		
SC200-420C	482	120.0	44	1480	65.5	90	79.0	4.2	362
	617	171.4	40		80		84.0		
	740	205.6	34		83.5		82.0		
SC200-520	574	159.4	101	1480	197.3	280	80.0	4.5	530
	820	227.8	92		241.6		85.0		
	984	273.3	82		264.6		83.0		
SC200-520A	551	153.1	95	1480	180.4	250	79.0	4.5	509
	787	218.6	85		216.8		84.0		
	944	262.2	76		238.2		82.0		
SC200-520B	524	145.6	86	1480	157.3	220	78.0	4.5	484
	749	208.1	77		189.2		83.0		
	899	249.7	68		205.5		81.0		
SC200-520C	501	139.2	80	1480	141.7	200	77.0	4.5	462
	715	198.6	71		168.5		82.0		
	858	238.3	64		186.9		80.0		
SC200-670	556	154.4	160	1480	314.5	450	77.0	4.5	683
	794	220.6	150		395.4		82.0		
	920	255.6	136		425.8		80.0		
SC200-670A	533	148.1	148	1480	282.6	400	76.0	4.5	655
	762	211.7	138		353.4		81.0		
	882	245.0	126		382.9		79.0		
SC200-670B	508	141.1	137	1480	252.6	355	75.0	4.5	624
	725	201.4	125		308.4		80.0		
	852	236.7	115		342		78.0		
SC200 670C	485	134.7	126	1480	224.8	315	74.0	4.5	596
	693	192.5	115		274.6		79.0		
	832	231.1	100		294.1		77.0		
SC250 280	629	174.7	22.5	1480	46.4	75	83.0	5.4	310
	899	249.7	20		55.6		88.0		
	1079	299.7	17		58.1		86.0		
SC250 280A	604	167.8	20	1480	40.1	55	82.0	5.4	298
	863	239.7	18		58.6		87.0		
	982	272.8	16		50.3		85.0		
SC250 280B	575	159.7	19	1480	36.3	55	82.0	5.4	286
	821	228.1	17		43.7		87.0		
	956	265.6	15		45.9		85.0		
SC250 280C	550	152.8	17	1480	31.4	45	81.0	5.4	271
	785	218.1	15		37.3		86.0		
	902	250.6	13.8		40.3		84.0		
SC250 370	684	190.0	44	1480	97.5	132	84.0	5.3	405
	977	271.4	40		119.5		89.0		
	1172	325.6	34		124.7		87.0		
SC250 370A	657	182.5	40	1480	86.2	132	83.0	5.3	389
	938	260.6	37		107.4		88.0		
	1126	312.8	32		114.1		86.0		
SC250 370B	624	173.3	36	1480	74.6	110	82.0	5.3	370
	892	247.8	33		92.1		87.0		
	1070	297.2	29		99.4		85.0		
SC250 370C	596	165.6	34	1480	68.1	90	81.0	5.3	353
	852	236.7	31		83.6		86.0		
	987	274.2	27		86.4		84.0		
SC250 480	733	203.6	74	1480	175.8	250	84.0	5	478
	1047	290.8	66		211.4		89.0		
	1256	348.9	59		231.9		87.0		

SC250-480A	704	195.6	68	1480	157	220	83.0	5	459
	1005	279.2	61		189.6		88.0		
	1206	335.0	54		206.1		86.0		
SC250-480B	669	185.8	65	1480	144.4	200	82.0	5	436
	956	265.6	55		164.5		87.0		
	1147	318.6	48		176.3		85.0		
SC250-480C	689	177.5	57	1480	122.4	200	81.0	5	417
	913	253.6	51		147.4		86.0		
	1096	304.4	43.5		154.5		84.0		
SC250-600	767	213.1	126	1480	328.9	450	80.0	5.5	610
	1096	304.4	115		403.7		85.0		
	1315	365.3	100		431.3		83.0		
SC250-600A	736	204.4	112	1480	284	400	79.0	5.5	586
	1052	292.2	105		358		84.0		
	1202	333.9	98		391.1		82.0		
SC250-600B	701	194.7	103	1480	252	355	78.0	5.5	557
	1001	278.1	96		315.2		83.0		
	1201	333.6	83		335		81.0		
SC250-600C	669	185.8	95	1480	224.7	315	77.0	5.5	532
	956	265.6	88		279.3		82.0		
	1108	307.8	80		301.6		80.0		
SC300-300	839	233.1	30	1480	82.6	110	83.0	5.5	330
	1199	333.1	27		100.1		88.0		
	1356	376.7	24		103		86.0		
SC300-300A	806	223.9	26	1480	69.6	110	82.0	5.5	317
	1151	319.7	24		86.4		87.0		
	1292	358.9	21		86.9		85.0		
SC300-300B	767	213.1	23	1480	59.3	90	81.0	5.5	301
	1095	304.2	21		72.8		86.0		
	1282	356.1	18		74.8		84.0		
SC300-300C	732	203.2	22	1480	51.8	75	80.0	5.5	288
	1046	290.6	19		63.6		85.1		
	1255	348.6	17		70		83.0		
SC300-435	895	248.6	60	1480	172	250	85.0	6	450
	1279	355.3	55		212.8		90.0		
	1535	426.4	48		227.8		88.0		
SC300-435A	859	238.6	57	1480	158.7	220	81.0	6	432
	1227	340.8	50		187.6		89.0		
	1472	408.9	43		198.1		87.0		
SC300-435B	818	227.2	53	1480	142.2	200	83.0	6	411
	1168	324.4	46		166.2		88.0		
	1402	389.4	39		173.1		86.0		
SC300-435C	781	216.9	49	1480	127	200	82.0	6	393
	1116	310.0	42		146.7		87.0		
	1339	371.9	36		154.4		85.0		
SC300-560	980	272.2	103	1480	331.1	450	83.0	6	565
	1400	388.9	95		411.4		88.0		
	1680	466.7	82		436.1		86.0		
SC300-560A	940	261.1	95	1480	296.5	450	82.0	6	542
	1343	373.1	87		365.6		87.0		
	1612	447.8	79		407.8		85.0		
SC300-560B	895	248.6	86	1480	258.7	400	81.0	6	516
	1278	355.0	79		319.6		86.0		
	1534	426.1	70		348		84.0		
SC300-560C	855	237.5	81	1480	235.7	355	80.0	6	493
	1221	339.2	75		293.3		85.0		
	1465	406.9	66		317.1		83.0		

SC300-700	1050	291.7	170	1480	592.6	900	82.0	5.4	710
	1500	416.7	160		751		87.0		
	1800	500.0	145		835.9		85.0		
SC300-700A	1007	279.7	157	1480	531.3	800	81.0	5.4	682
	1439	399.7	147		669.6		86.0		
	1727	479.7	134		750		84.0		
SC300-700B	958	266.1	146	1480	475.5	710	80.0	5.4	648
	1369	380.3	134		587.5		85.0		
	1643	456.4	125		673.6		83.0		
SC300-700C	916	254.4	134	1480	423	630	79.0	5.4	620
	1308	363.3	123		521.4		84.0		
	1570	436.1	113		589		82.0		
SC350-305	1211	336.4	28	1480	112.6	160	82.0	8.5	336
	1730	480.6	25		135.3		87.0		
	1995	554.2	22		140.6		85.0		
SC350 305A	1162	322.8	26	1480	101.5	132	81.0	8.5	322
	1660	461.1	23		120.9		86.0		
	1856	515.6	21		126.3		84.0		
SC350 360	1214	337.2	35	1480	141.1	200	82.0	7.5	382
	1734	481.7	32		173.6		87.0		
	1995	554.2	28		178.9		85.0		
SC350 360A	1164	323.3	32.5	1480	127.1	200	81.0	7.5	366
	1663	461.9	29		152.7		86.0		
	1925	534.7	26		162.2		84.0		
SC350 360B	1108	307.8	30	1480	113.1	160	80.0	7.5	349
	1583	439.7	27		136.9		85.0		
	1832	508.9	24		144.2		83.0		
SC350 360C	1058	293.9	28	1480	102.1	132	79.0	7.5	333
	1512	420.0	25		122.5		84.0		
	1756	487.8	22		128.2		82.0		
SC350 430	1260	350.0	50	1480	209.1	280	82.0	8	445
	1799	499.7	45		253.3		87.0		
	2068	574.4	40		264.9		85.0		
SC350 430A	1208	335.6	48	1480	194.9	250	81.0	8	427
	1726	479.4	41		224		86.0		
	1998	555.0	36		233.1		84.0		
SC350 430B	1150	319.4	43	1480	168.3	220	80.0	8	406
	1642	456.1	38		199.8		85.0		
	1901	528.1	33		205.8		83.0		
SC350 430C	1100	305.6	39	1480	147.8	200	79.0	8	388
	1569	435.8	35		178		84.0		
	1822	506.1	30		181.5		82.0		
SC350 510	1331	369.7	80	1480	349.2	450	83.0	8	506
	1901	528.1	70		411.6		88.0		
	2186	607.2	63		435.9		86.0		
SC350 510A	1277	354.7	70	1480	296.8	400	82.0	8	486
	1824	506.7	64		365.3		87.0		
	2111	586.4	57		385.4		85.0		
SC350 510B	1215	337.5	63	1480	257.3	355	81.0	8	462
	1735	481.9	58		318.5		86.0		
	2009	558.1	50		325.5		84.0		
SC350 510C	1160	322.2	59	1480	232.9	315	80.0	8	441
	1658	460.6	54		286.7		85.0		
	1925	534.7	47		296.7		83.0		
SC350 660	1397	388.1	120	1480	556.5	800	82.0	7.3	622
	1995	554.2	110		686.7		87.0		
	2294	637.2	102		749.4		85.0		

SC350-660A	1340	372.2	109	1480	490.9	710	81.0	7.3	597
	1914	531.7	101		611.9		86.0		
	2216	615.6	94		675.1		84.0		
SC350-660B	1275	354.2	101	1480	438.2	630	80.0	7.3	568
	1821	505.8	92		536.5		85.0		
	2109	585.8	82		567.2		83.0		
SC350-660C	1218	338.3	93	1480	390.3	560	79.0	7.3	542
	1740	483.3	84		473.7		84.0		
	2021	561.4	75		503.2		82.0		
SC400-410	1714	476.1	36	1480	202.4	280	83.0	10	374
	2449	680.3	32		242.4		88.0		
	2816	782.2	28		249.6		86.0		
SC400-460	1820	505.6	53	1480	320.2	400	82.0	9.8	430
	2600	722.2	46		374.2		87.0		
	3000	833.3	40		384.3		85.0		
SC400-460A	1747	485.3	48	1480	281.8	355	81.0	9.8	413
	2495	693.1	42		331.7		86.0		
	2881	800.3	37		345.5		84.0		
SC400-460B	1662	461.7	42	1480	237.5	315	80.0	9.8	393
	2374	659.4	38		288.9		85.0		
	2748	763.3	33		297.4		83.0		
SC400-460C	1588	441.1	39	1480	213.4	280	79.0	9.8	375
	2268	630.0	35		257.3		84.0		
	2633	731.4	31		271		82.0		
SC400-520	1960	544.4	80	1480	514.3	710	83.0	10	520
	2799	777.5	72		623.4		88.0		
	3218	893.9	64		651.9		86.0		
SC400-520A	1880	522.2	75	1480	468.1	630	82.0	10	500
	2685	745.8	66		554.5		87.0		
	3108	863.3	59		587.3		85.0		
SC400-520B	1789	496.9	67	1480	402.8	560	81.0	10	475
	2555	709.7	60		485.3		86.0		
	2958	821.7	53		508.1		84.0		
SC400-520C	1709	474.7	60	1480	348.9	500	80.0	10	455
	2441	678.1	55		430		85.0		
	2756	765.6	48		433.9		83.0		
SC400-680	2100	583.3	113	1480	778.3	1120	83.0	10	616
	3000	833.3	105		974.4		88.0		
	3448	957.8	92		1004.1		86.0		
SC400-680A	2014	559.4	104	1480	695.3	1000	82.0	10	591
	2877	799.2	96		864.2		87.0		
	3330	925.0	84		895.8		85.0		
SC400-680B	1917	532.5	95	1480	612	900	81.0	10	563
	2738	760.6	87		754		86.0		
	3170	880.6	78		801.3		84.0		
SC400-680C	1831	508.6	89	1480	554.5	800	80.0	10	537
	2616	726.7	81		678.6		85.0		
	3037	843.6	73		727.1		83.0		
SC500-510	2416	671.1	29	980	229.8	280	83.0	7.5	482
	3451	958.6	25		266.9		88.0		
	3902	1083.9	22		271.7		86.0		
SC500-510A	2318	643.9	26	980	200.1	250	82.0	7.5	462
	3311	919.7	23		238.3		87.0		
	3785	1051.4	20		242.2		85.0		
SC500-610	2456	682.2	48	980	382	500	84.0	6.5	588
	3508	974.4	42		450.7		89.0		
	4046	1123.9	37		468.4		87.0		

SC500-640A	2007	557.5	42	980	276.5	450	83.0	6.5	564
	3365	934.7	39		406		88.0		
	3895	1081.9	34		419.2		56.0		
SC500 640B	2242	622.8	39	980	290.3	400	82.0	6.5	537
	3202	889.4	35		350.7		87.0		
	3707	1029.7	31		368		85.0		
SC500 640C	2141	594.7	35	980	251.8	355	81.0	6.5	513
	3059	849.7	32		309.9		86.0		
	3552	986.7	28		322.3		84.0		
SC500 700	2692	747.8	73	980	636.9	800	84.0	6.5	728
	3846	1068.3	65		764.6		89.0		
	4320	1200.0	58		784		87.0		
SC500 700A	2583	717.5	66	980	559.1	800	83.0	6.5	698
	3690	1025.0	60		684.9		88.0		
	4271	1186.4	53		716.5		86.0		
SC500 700B	2458	682.8	59	980	481.4	710	82.0	6.5	665
	3511	975.3	54		593.2		87.0		
	4064	1128.9	47		611.7		85.0		
SC500 700C	2347	651.9	57	980	449.6	630	81.0	6.5	635
	3352	931.1	50		530.5		86.0		
	3895	1081.9	44		555.4		84.0		
SC500 790	2800	777.8	88	980	789.1	1120	85.0	7	795
	3999	1110.8	80		967.7		90.0		
	4598	1277.2	72		1024.1		88.0		
SC500 790A	2686	746.1	80	980	696.4	1000	84.0	7	564
	2837	1065.8	73		856.7		89.0		
	4441	1233.6	66		917.1		87.0		
SC500 790B	2556	710.0	74	980	620.4	900	83.0	7	726
	3651	1014.2	67		756.7		88.0		
	4227	1174.2	61		816.2		86.0		
SC500 790C	2442	678.3	69	980	559.4	800	82.0	7	693
	3488	968.9	62		676.7		87.0		
	4050	1125.0	55		713.4		85.0		
SC500 890	2932	814.4	120	980	1126.8	1600	85.0	7	920
	4188	1163.3	110		1393.4		90.0		
	4815	1337.5	102		1519.3		88.0		
SC500 890A	2813	781.4	109	980	993.7	1400	84.0	7	883
	4018	1116.1	101		1241.3		89.0		
	4602	1278.3	94		1353.6		87.0		
SC500 890B	2676	743.3	100	980	877.7	1250	83.0	7	840
	3823	1061.9	92		1088		88.0		
	4426	1229.4	82		1148.8		86.0		
SC500 890C	2557	710.3	93	980	789.4	1120	82.0	7	802
	3653	1014.7	85		971.6		87.0		
	4241	1178.1	76		1032.3		85.0		
SC600 540	3305	918.1	29	980	314.4	400	83.0	8.5	520
	4721	1311.4	25		365.1		88.0		
	5428	1507.8	22		378		86.0		
SC600 540A	3170	880.6	26	980	273.6	355	82.0	8.5	500
	4529	1258.1	23		325.9		87.0		
	5242	1456.1	20		335.8		85.0		
SC600 620	3708	1030.0	44	980	528.7	710	84.0	9	615
	5297	1471.4	40		648.7		89.0		
	6090	1691.7	35		666.9		87.0		
SC600-620A	3558	988.3	40	980	466.8	630	83.0	9	590
	5082	1411.7	37		581.7		88.0		

	5882	1633.9	32		595.8		86.0		
SC600-620B	3385	940.3	36	980	404.5	560	82.0	9	562
	4835	1343.1	33		499.2		87.0		
	5598	1555.0	29		519.9		85.0		
SC600-620C	3234	898.3	34	980	369.5	500	81.0	9	536
	4620	1283.3	31		453.3		86.0		
	5364	1490.0	27		469.4		84.0		
SC600-710	3891	1080.8	66	980	822.5	1120	85.0	9.5	726
	5559	1544.2	60		1008.9		90.0		
	6391	1775.3	53		1047.8		88.0		
SC600-710A	3733	1036.9	60	980	725.9	1000	84.0	9.5	696
	5333	1481.4	55		897.2		89.0		
	6173	1714.7	48		927.1		87.0		
SC600-710B	3553	986.9	56	980	652.6	900	83.0	9.5	663
	5075	1409.7	50		785		88.0		
	5875	1631.9	43.5		809		86.0		
SC600-710C	3394	942.8	53	980	597.2	800	82.0	9.5	633
	4848	1346.7	46		697.8		87.0		
	5630	1563.9	40		721.2		85.0		
SC600-830	4121	1144.7	98	980	1293.4	1800	85.0	9.5	846
	5888	1635.6	90		1602.8		90.0		
	6770	1880.6	81		1696.3		88.0		
SC600-830A	3954	1098.3	90	980	1153.3	1600	84.0	9.5	812
	5649	1569.2	83		1434.1		89.0		
	6539	1816.4	75		1534.5		87.0		
SC600-830B	3763	1045.3	82	980	1012	1400	83.0	9.5	772
	5375	1493.1	75		1247		88.0		
	6223	1728.6	67		1319.8		86.0		
SC600-830C	3595	998.6	77	980	919	1250	82.0	9.5	738
	5136	1426.7	69		1108.9		87.0		
	5963	1656.4	62		1184		85.0		















